

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

Issue date: 20.10.2021

Revision date: 20.10.2021

Supersedes: 12.04.2017

Version: 2.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	Article
Trade name	DX-Cartridge
Product code	BU Direct Fastening

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use	CARTRIDGES FOR TOOLS, BLANK
Restrictions on use	For professional use only

#### 1.4. Supplier's details

**Supplier**

Hilti Far East Private Ltd.  
No 20 Harbour Drive,  
#06-06/08 PSA Vista  
117612 Singapore - Singapur  
T +65 6777 7887 - F +65 6777 3057  
[sg-customerservice@hilti.com](mailto:sg-customerservice@hilti.com)

**Department issuing data specification sheet**

Hilti Entwicklungsgesellschaft mbH  
Hiltistraße 6  
86916 Kaufering - Deutschland  
T +49 8191 906876  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

#### 1.5. Emergency telephone number

Emergency number	Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +65 6777 7887
------------------	--

### SECTION 2: Hazards identification

**The dismantling of the article is prohibited!, This article contains hazardous substances or preparations not intended to be released under normal or reasonably foreseeable conditions of use.**

#### 2.1. Classification of the substance or mixture

Physical hazards	Explosives, Division 1.4
------------------	--------------------------

#### 2.2. Label elements

Hazard pictograms (GHS SG)



Signal word (GHS SG)

Warning

Hazard statements (GHS SG)

Fire or projection hazard. (H204)

Precautionary statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)  
Do not subject to shock, friction, grinding. (P250)  
Wear eye protection. (P280)

Response

Explosion risk in case of fire. (P372)  
In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. (P370+P380+P375)

Storage

Store in accordance with local regulations on explosives. (P401)

#### 2.3. Other hazards

Other hazards which do not result in classification

This article contains hazardous substances or preparations not intended to be released under normal or reasonably foreseeable conditions of use. The dismantling of the article is prohibited!. Keep away from ignition sources (including static discharges).

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments

max. net explosives weight each cartridge in mg:  
 Caliber 6.8/11 (cal .27 short) white: 130; brown: 140; green: 160; yellow: 180; red: 230; titanium: 230; black: 260  
 Caliber 6.8/18 (cal .27 long) green: 190; yellow: 220; blue: 300; red: 330; black: 410  
 Caliber 6.3/10 (cal. 25) green 120; yellow: 190; red: 230; black: 250  
 Caliber 5.5/16 (cal. 22) grey: 105; brown: 120; green: 175; yellow: 210; red: 270.

Within the cartridges the explosive ingredients (gun powder and priming composition) are hermetically separated from the environment. They will be only opened with effort and under destruction of the article.

Propellant powder: glycerol trinitrate containing nitrocellulose powder  
 Mass per cartridge: essentially dependent on the required power (100-400 mg)  
 Priming composition: SINOXID (initiating explosive) Mass per cartridge: 22-33 mg in the mean.

Exposed propellant powder outside a cartridge is harmful if swallowed and highly flammable; without tamping no explosion risk.  
 Packed safety cartridges don't represent a significant risk.  
 In case of reaction no dangerous fragments or projectiles will be formed.  
 Mechanical or thermal attempts to expose the primer composition lead to an immediate reaction of the dangerous ingredients.

Name	Concentration (%)	Formula	Product identifier
cellulose nitrate	5 - 21	HNO <sub>3</sub> .x No especificado	(CAS-No.) 9004-70-0
glycerol trinitrate	2 - 10	C <sub>3</sub> H <sub>5</sub> N <sub>3</sub> O <sub>9</sub>	(CAS-No.) 55-63-0 (EC-No.) 200-240-8 (EC Index-No.) 603-034-00-X
lead styphnate	0.1 - 3	C <sub>6</sub> H <sub>N</sub> 3O <sub>8</sub> Pb	(CAS-No.) 15245-44-0 (EC-No.) 239-290-0 (EC Index-No.) 609-019-00-4
barium nitrate	0.1 - 3	BaN <sub>2</sub> O <sub>6</sub>	(CAS-No.) 10022-31-8 (EC-No.) 233-020-5 (EC Index-No.) 056-002-00-7
copper	0 - 2	Cu	(CAS-No.) 7440-50-8 (EC-No.) 231-159-6
zinc	0 - 2	Zn	(CAS-No.) 7440-66-6 (EC-No.) 231-175-3 (EC Index-No.) 030-001-01-9
diphenylamine	0.1 - 1	C <sub>12</sub> H <sub>11</sub> N	(CAS-No.) 122-39-4 (EC-No.) 204-539-4 (EC Index-No.) 612-026-00-5
tetrazene	0 - 1	C <sub>2</sub> H <sub>8</sub> N <sub>10</sub> O	(CAS-No.) 109-27-3

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	In all cases of doubt, or when symptoms persist, seek medical attention.
Inhalation	Allow affected person to breathe fresh air. Allow the victim to rest.
Skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Dry powder. Water spray.
Unsuitable extinguishing media	Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ). Nitrous gasses.
--	---

### 5.3. Special Protective actions for the fire fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
------------------	---

#### 6.1.1. For non-emergency personnel

Emergency procedures	Evacuate unnecessary personnel.
----------------------	---------------------------------

#### 6.1.2. For emergency responders

Protective equipment	Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Pick up loose cartridges only by hand. Exposed ingredients must be swept up carefully and phlegmatized in a water container, labelled according the regulations, wipe down with water the contaminated area. Store away from other materials.
-------------------------	--

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed	Hazardous waste due to potential risk of explosion.
Precautions for safe handling	Do not subject to grinding, shock, friction. Take precautionary measures against static discharge. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Store in a dry place.
Incompatible products	Strong bases. Strong acids.

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

Storage temperature	5 – 25 °C
Information on mixed storage	Keep away from : Ignition sources. Do not store with: Store according to local legislation.
Storage area	Store away from heat.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

DX-Cartridge	
Singapore - Occupational Exposure Limits	
PEL (OEL TWA)	0.2 mg/m <sup>3</sup> Fume 1 mg/m <sup>3</sup> Dusts and mists, as Cu
PEL (OEL TWA) [ppm]	0.05 ppm
Regulatory reference	WSH (General Provision) Regulation 2014

### 8.2. Monitoring

No additional information available

### 8.3. Appropriate engineering controls

No additional information available

### 8.4. Personal protective equipment

Eye protection	Safety glasses
Skin and body protection	When using cartridge operated tools, sufficient ear protection must be worn.

Personal protective equipment symbol(s)



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	According to product specification
Odour	No data available
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Solubility	No data available
Partition coefficient n-octanol/water (Log Pow)	No data available

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

Partition coefficient n-octanol/water (Log Kow)	No data available
Viscosity, dynamic	No data available
Explosive properties	Fire or projection hazard.
Oxidising properties	No data available
Explosive limits	No data available

### 9.2. Other information

Additional information Not applicable. Article

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Nitrogen oxides. Metal oxides. Thermal decomposition can lead to the release of irritating gases and vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

glycerol trinitrate (55-63-0)	
LD50 oral rat	685 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	685 mg/kg
LD50 dermal rat	> 9560 mg/kg bodyweight (Equivalent or similar to OECD 402, Rat, Male / female, Experimental value, Dermal)

diphenylamine (122-39-4)	
LD50 oral rat	> 800 mg/kg bodyweight (Rat, Male, Experimental value, Oral)

barium nitrate (10022-31-8)	
LD50 oral rat	50 – 300 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 oral	355 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 1.1 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

<b>zinc (7440-66-6)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Potential adverse human health effects and symptoms	No additional information available. No harmful effects are to be expected if used properly. The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released. The dismantling of the article is prohibited.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	No harmful effects are to be expected if used properly. The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released. The dismantling of the article is prohibited.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified
Other information	Avoid release to the environment.

<b>glycerol trinitrate (55-63-0)</b>	
LC50 - Fish [1]	1.9 mg/l (ASTM E729-80, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal)
NOEC chronic fish	0.03 mg/l
<b>lead styphnate (15245-44-0)</b>	
EC50 - Crustacea [1]	7 mg/l
<b>diphenylamine (122-39-4)</b>	
EC50 - Crustacea [1]	2 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	2.17 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP)
NOEC chronic algae	0.0273 mg/l
BCF - Fish [1]	51 – 253 (Cyprinus carpio, Literature study, Test duration: 8 weeks)
Partition coefficient n-octanol/water (Log Pow)	3.71 – 3.84 (Weight of evidence approach, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20.2 °C)
Partition coefficient n-octanol/water (Log Koc)	2.818 – 2.917 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
<b>barium nitrate (10022-31-8)</b>	
EC50 - Crustacea [1]	9018 mg/l

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

<b>barium nitrate (10022-31-8)</b>	
EC50 72h - Algae [1]	> 45.6 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
<b>cellulose nitrate (9004-70-0)</b>	
<b>tetrazene (109-27-3)</b>	
EC50 - Crustacea [1]	0.14 mg/l
<b>copper (7440-50-8)</b>	
LC50 - Fish [1]	200 µg/l (96 h, Salmo gairdneri, Flow-through system, Fresh water, Weight of evidence, Lethal)
EC50 - Crustacea [1]	109 – 798 µg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence, Locomotor effect)
EC50 72h - Algae [1]	230 µg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Growth rate)
<b>zinc (7440-66-6)</b>	
LC50 - Fish [1]	0.169 mg/l (Other, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Read-across, Zinc ion)
EC50 - Crustacea [1]	416 µg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Experimental value)
ErC50 algae	0.15 mg/l
BCF - Fish [1]	0.002 (40 day(s), Danio rerio, Semi-static system, Fresh water, Read-across)

### 12.2. Persistence and degradability

<b>DX-Cartridge</b>	
Persistence and degradability	Not established.
<b>glycerol trinitrate (55-63-0)</b>	
Not rapidly degradable	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	53.6 g O <sub>2</sub> /g substance
<b>lead styphnate (15245-44-0)</b>	
Not rapidly degradable	
<b>diphenylamine (122-39-4)</b>	
Not rapidly degradable	
Persistence and degradability	Not readily biodegradable in water.
ThOD	2.39 g O <sub>2</sub> /g substance
<b>barium nitrate (10022-31-8)</b>	
Not rapidly degradable	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
<b>tetrazene (109-27-3)</b>	
Not rapidly degradable	
<b>copper (7440-50-8)</b>	
Not rapidly degradable	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

<b>copper (7440-50-8)</b>	
BOD (% of ThOD)	Not applicable
<b>zinc (7440-66-6)</b>	
Not rapidly degradable	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

### 12.3. Bioaccumulative potential

<b>DX-Cartridge</b>	
Bioaccumulative potential	Not established.
<b>glycerol trinitrate (55-63-0)</b>	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>diphenylamine (122-39-4)</b>	
BCF - Fish [1]	51 – 253 (Cyprinus carpio, Literature study, Test duration: 8 weeks)
Partition coefficient n-octanol/water (Log Pow)	3.71 – 3.84 (Weight of evidence approach, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20.2 °C)
Partition coefficient n-octanol/water (Log Koc)	2.818 – 2.917 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>barium nitrate (10022-31-8)</b>	
Bioaccumulative potential	Not bioaccumulative.
<b>copper (7440-50-8)</b>	
Bioaccumulative potential	Bioaccumulation: not applicable.
<b>zinc (7440-66-6)</b>	
BCF - Fish [1]	0.002 (40 day(s), Danio rerio, Semi-static system, Fresh water, Read-across)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

### 12.4. Mobility in soil

<b>DX-Cartridge</b>	
Mobility in soil	No additional information available
<b>glycerol trinitrate (55-63-0)</b>	
Ecology - soil	Low potential for adsorption in soil.
<b>diphenylamine (122-39-4)</b>	
Surface tension	71.8 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)
Partition coefficient n-octanol/water (Log Pow)	3.71 – 3.84 (Weight of evidence approach, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20.2 °C)
Partition coefficient n-octanol/water (Log Koc)	2.818 – 2.917 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil. May be harmful to plant growth, blooming and fruit formation.
<b>barium nitrate (10022-31-8)</b>	
Surface tension	No data available in the literature
Ecology - soil	Adsorption to soil is possible.
<b>copper (7440-50-8)</b>	
Ecology - soil	Adsorbs into the soil.
<b>zinc (7440-66-6)</b>	
Surface tension	No data available in the literature
Ecology - soil	Adsorbs into the soil.

### 12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available



# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

### SECTION 13: Disposal considerations

Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Refer to manufacturer/supplier for information on recovery/recycling.
Additional information	<p>Cartridge strips with unused cartridges: Hazardous waste due to risk of explosion. European waste catalogue: 16 04 01* - waste ammunition. If possible use up the cartridges or store them for your next project.</p> <p>If not possible to use up the cartridges - The strip is mixed municipal waste and the cartridge itself is "waste ammunition" and has to be disposed of by an authorized/certified company.</p> <p>If cartridges are used up: European waste catalogue: 20 03 01 - mixed municipal waste . The product (cartridges and strip) can be disposed of as household or factory waste.</p>

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
<b>14.1. UN number or ID number</b>			
UN 0323	UN 0323	UN 0323	UN 0323
<b>14.2. UN proper shipping name</b>			
CARTRIDGES, POWER DEVICE	CARTRIDGES, POWER DEVICE	Cartridges, power device	CARTRIDGES, POWER DEVICE
Transport document description			
UN 0323 CARTRIDGES, POWER DEVICE, 1.4S, (E)	UN 0323 CARTRIDGES, POWER DEVICE, 1.4S	UN 0323 Cartridges, power device, 1.4S	UN 0323 CARTRIDGES, POWER DEVICE, 1.4S
<b>14.3. Transport hazard class(es)</b>			
1.4S	1.4S	1.4S	1.4S
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available			

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	1.4S
Special provisions (ADR)	347
Limited quantities (ADR)	0
Packing instructions (ADR)	P134, LP102
Mixed packing provisions (ADR)	MP23
Transport category (ADR)	4
Tunnel restriction code (ADR)	E

#### Transport by sea

Special provisions (IMDG)	347
Limited quantities (IMDG)	0
Packing instructions (IMDG)	P134, LP102
EmS-No. (Fire)	F-B
EmS-No. (Spillage)	S-X

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

Stowage category (IMDG)	01
Stowage and handling (IMDG)	SW1
MFAG-No	114

### Air transport

PCA packing instructions (IATA)	134
PCA max net quantity (IATA)	25kg
CAO packing instructions (IATA)	134
Special provisions (IATA)	A165

### Rail transport

Special provisions (RID)	347
Limited quantities (RID)	0
Packing instructions (RID)	P134, LP102

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

Regulation		Component/Mixture
Environmental Protection and Management (Air Impurities) Regulations	Air Impurities Emission Limits	Copper
Arms and Explosives Act	Explosive Precursors (Second Schedule)	Barium nitrate
Fire Safety Act/Fire Safety (Petroleum and Flammable Materials) Regulations	Petroleum and Flammable Materials	Nitroglycerin; Nitrocellulose; Zinc
Maritime and Port Authority of Singapore (Dangerous, Petroleum and Explosives) Regulations	Maritime and Port Authority-Dangerous Goods	Nitroglycerin, desensitized; Lead styphnate, wetted; Guanyl nitrosaminoguanyltetrazene, wetted; Nitrocellulose
Poisons Act	Poisons List	Glyceryl trinitrate
Poisons Rules	First Schedule	Glyceryl trinitrate
	Third Schedule	Glyceryl trinitrate
Environmental Public Health (Quality of Piped Drinking Water) Regulations	Drinking Water Quality Standards - Chemical Parameters	Copper
Strategic goods (Control) Act	Military Goods - Energetic Materials and Related Substances - Exemptions	Nitroglycerin; Lead styphnate; Nitrocellulose
	Military Goods - Energetic Materials and Related Substances	DX-Cartridge

### 15.2. International Regulations

No additional information available

### 15.3. Chemical inventory status

Australia AICS	No
Canada DSL	No
Canada NDSL	No
China IECSC	No
EU EINECS	No
EU ELINCS	No
EU NLP	No
Korea ECL	No
US TSCA	No

# DX-Cartridge

## Safety Data Sheet

According to SS 586 Part 3: 2014

### SECTION 16: Other information

#### Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE - Acute Toxicity Estimate  
BCF - Bioconcentration factor  
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
DMEL - Derived Minimal Effect level  
DNEL - Derived-No Effect Level  
EC50 - Median effective concentration  
IARC - International Agency for Research on Cancer  
IATA - International Air Transport Association  
IMDG - International Maritime Dangerous Goods  
LC50 - Median lethal concentration  
LD50 - Median lethal dose  
LOAEL - Lowest Observed Adverse Effect Level  
NOAEC - No-Observed Adverse Effect Concentration  
NOAEL - No-Observed Adverse Effect Level  
NOEC - No-Observed Effect Concentration  
OECD - Organisation for Economic Co-operation and Development  
PBT - Persistent Bioaccumulative Toxic  
PNEC - Predicted No-Effect Concentration  
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
SDS - Safety Data Sheet  
vPvB - Very Persistent and Very Bioaccumulative

#### Indication of changes:

Section	Changed item	Change	Comments
2	Precautionary statements (GHS SG)	Modified	
3	Composition/information on ingredients	Modified	

SDS\_SG\_Hilti

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*