

Hilti Grease

en	This safety data sheet file is issued for the following production lots: 1. Version 1.X / 2.X is valid for Hilti Grease with material number 1035006 (see imprint on packaging) 2. Version 3.0 is valid for Hilti Grease with material number 1038640 (see imprint on packaging)
de	Diese Sicherheitsdatenblatt-Datei betrifft die folgenden Fertigungslose: 1. Version 1.X / 2.X ist gültig für Hilti Grease mit der Materialnummer 1035006 (siehe Aufdruck auf Verpackung) 2. Version 3.0 ist gültig für Hilti Grease mit der Materialnummer 1038640 (siehe Aufdruck auf Verpackung)
nl	Dit veiligheidsinformatiebladbestand wordt afgegeven voor de volgende productie-lots: 1. Versie 1.X / 2.X is geldig voor Hilti Grease met het materiaalnummer 1035006 (zie opdruk op verpakking) 2. Versie 3.0 is geldig voor Hilti Grease met het materiaalnummer 1038640 (zie opdruk op verpakking)
fr	Ce fichier de données de sécurité est délivré pour les lots de production suivants : 1. La version 1.X / 2.X est valide pour Hilti Grease avec le numéro de matériau 1035006 (voir l'impression sur l'emballage) 2. La version 3.0 est valide pour Hilti Grease avec le numéro de matériau 1038640 (voir l'impression sur l'emballage)
da	Denne sikkerhedsdatabladsfil er udgivet for følgende produktions lots: 1. Version 1.X / 2.X er gældende for Hilti Grease med materialenummeret 1035006 (se aftryk på emballagen) 2. Version 3.0 er gældende for Hilti Grease med materialenummeret 1038640 (se aftryk på emballagen)
sv	Denna säkerhetsdatabladsfil har utfärdats för följande tillverkningspartier: 1. Version 1.X / 2.X är giltig för Hilti Grease med materialnummer 1035006 (se avtryck på förpackningen) 2. Version 3.0 är giltig för Hilti Grease med materialnummer 1038640 (se avtryck på förpackningen)
fi	Tämä käyttöturvallisuustiedote koskee seuraavia tuotantoeriä: 1. Versio 1.X / 2.X on voimassa Hilti Grease -rasvalle, jonka materiaalinumero on 1035006 (ks. painatus pakkauksessa) 2. Versio 3.0 on voimassa Hilti Grease -rasvalle, jonka materiaalinumero on 1038640 ks. painatus pakkauksessa)
hu	Ezt a biztonsági adatlapot a következő gyártási tételekhez bocsátják ki: 1. Az 1.X / 2.X verzió a Hilti Grease 1035006 anyagszámú zsiradékra érvényes (lásd a csomagoláson lévő lenyomatot) 2. A 3.X verzió a Hilti Grease 1038640 anyagszámú zsiradékra érvényes (lásd a csomagoláson lévő lenyomatot)
es	Este archivo de ficha de datos de seguridad se emite para los siguientes lotes de producción: 1. La versión 1.X / 2.X válida para Hilti Grease con el número de material 1035006 (véase el texto impreso en el embalaje) 2. La versión 3.0 válida para Hilti Grease con el número de material 1038640 (véase el texto impreso en el embalaje)
pt	Este ficheiro com ficha de dados de segurança é emitido para os seguintes lotes de produção: 1. A versão 1.X / 2.X é válida para a Hilti Grease com o número de material 1035006 (ver impressão na embalagem) 2. A versão 3.0 é válida para a Hilti Grease com o número de material 1038640 (ver impressão na embalagem)
it	Questo file della scheda di dati di sicurezza è rilasciato per i seguenti lotti di produzione: 1. La versione 1.X / 2.X è valida per Hilti Grease con il numero di materiale 1035006 (vedere l'impronta sulla confezione) 2. La versione 3.0 è valida per Hilti Grease con il numero di materiale 1038640 (vedere l'impronta sulla confezione)
pl	Ten plik arkusza danych bezpieczeństwa jest wydany dla następujących części produkcyjnych: 1. Wersja 1.X / 2.X dotyczy Hilti Grease o numerze materiału 1035006 (patrz nadruk na opakowaniu) 2. Wersja 3.0 dotyczy Hilti Grease o numerze materiału 1038640 (patrz nadruk na opakowaniu)
ru	Этот файл сертификата безопасности предоставлен для следующих партий продукции: 1. Версия 1.X / 2.X действительна для Hilti Grease с номером материала 1035006 (см. оттиск на упаковке) 2. Версия 3.0 действительна для Hilti Grease с номером материала 1038640 (см. оттиск на упаковке)
el	Το παρόν δελτίο δεδομένων ασφαλείας εκδίδεται για τις ακόλουθες παρτίδες παραγωγής: 1. Η έκδοση 1.X / 2.X ισχύει για το Hilti Grease με αριθμό υλικού 1035006 (βλ. αποτύπωμα στη συσκευασία) 2. Η έκδοση 3.0 ισχύει για το Hilti Grease με αριθμό υλικού 1038640 (βλ. αποτύπωμα στη συσκευασία)
cs	Tento soubor s bezpečnostním listem je vystaven pro následující výrobní šarže 1. Verze 1.X / 2.X platí pro Hilti Grease s číslem materiálu 1035006 (viz potisk na obalu) 2. Verze 3.0 platí pro Hilti Grease s číslem materiálu 1038640 (viz potisk na obalu)
bg	Този файл с информационен лист за безопасност се издава за следните производствени партии: 1. Версия 1.X / 2.X е валидна за Hilti Grease с номер на материала 1035006 (виж отпечатъка върху опаковката) 2. Версия 3.0 е валидна за Hilti Grease с номер на материала 1038640 (виж отпечатъка върху опаковката)
lv	Šo drošības datu lapa ir izsniegta šādām ražojumu partijām: 1. Versija 1.X / 2.X ir derīga Hilti Grease ar materiāla numuru 1035006 (skatīt nospiedumu uz iepakojuma) 2. Versija 3.0 ir derīga Hilti Grease ar materiāla numuru 1038640 (skatīt nospiedumu uz iepakojuma)
lt	Šis saugos duomenų lapo failas išduodamas šioms gamybos partijoms: 1. Versija 1.X / 2.X galioja Hilti Grease su medžiagos numeriu 1035006 (žr. įspaudą ant pakuotės) 2. Versija 3.0 versija galioja Hilti Grease su medžiagos numeriu 1038640 (žr. įspaudą ant pakuotės)
sk	Táto karta bezpečnostných údajov sa vydáva pre tieto výrobné dávky: 1. Verzia 1.X / 2.X platí pre Hilti Grease s číslom materiálu 1035006 (pozri potlač na obale) 2. Verzia 3.0 platí pre Hilti Grease s číslom materiálu 1038640 (pozri potlač na obale)
sl	Datoteka z varnostnim listom je izdana za naslednje proizvodne serije: 1. Različica 1.X / 2.X velja za Hilti Grease s številko materiala 1035006 (glej odtis na embalaži) 2. Različica 3.0 velja za Hilti Grease s številko materiala 1038640 (glej odtis na embalaži)
et	See ohutuskaardi fail on välja antud järgmistele tootepartidele: 1. Versioon 1.X / 2.X kehtib Hilti Grease jaoks, mille materjalinumbr on 1035006 (vt trükki pakendil) 2. Versioon 3.0 kehtib Hilti Grease jaoks, mille materjalinumbr on 1038640 (vt trükki pakendil)

Hilti Grease

ro	Această fișă cu date de securitate este emisă pentru următoarele loturi de producție: 1. Versiunea 1.X / 2.X este valabilă pentru Hilti Grease cu numărul de material 1035006 (a se vedea amprenta de pe ambalaj) 2. Versiunea 3.0 este valabilă pentru Hilti Grease cu numărul de material 1038640 (a se vedea amprenta de pe ambalaj)
hr	Ovaj sigurnosno-tehnički list izdaje se za sljedeće proizvodne serije: 1. Verzija 1.X / 2.X vrijedi za Hilti Grease s brojem materijala 1035006 (vidi otisak na pakiranju) 2. Verzija 3.0 vrijedi za Hilti Grease s brojem materijala 1038640 (vidi otisak na pakiranju)
tr	Bu güvenlik bilgi formu dosyası aşağıdaki üretim lotları için düzenlenmiştir: 1. Sürüm 1.X / 2.X, 1035006 malzeme numaralı Hilti Grease için geçerlidir (ambalaj üzerindeki baskıya bakınız) 2. Sürüm 3.0, 1038640 malzeme numaralı Hilti Grease için geçerlidir (ambalaj üzerindeki baskıya bakınız)
uk	Цей файл паспорта безпеки видається для наступних партій продукції: 1. Версія 1.X / 2.X дійсна для Hilti Grease з номером матеріалу 1035006 (див. відбиток на упаковці) 2. Версія 3.0 дійсна для Hilti Grease з номером матеріалу 1038640 (див. відбиток на упаковці)
zh	本安全数据表文件针对以下生产批次发布： 1. 版本 1.X / 2.X 对 Hilti Grease 有效，材料编号为 1035006（见包装上的印记） 2. 版本 3.0 对 Hilti Grease 有效，材料编号为 1038640（见包装上的印记）
ar	يتم إصدار ملف صحيفة بيانات السلامة لتشغيلات الإنتاج التالية: 1. الإصدار 1.X / 2.X صالح لـ Hilti Grease مع رقم المادة 1035006 (انظر البصمة على العبوة) 2. الإصدار 3.0 صالح لـ Hilti Grease مع رقم المادة 1038640 (انظر البصمة على العبوة)
ja	この安全性データシートファイルは、次の生産ロット用に発行されています： 1. バージョン 1.X / 2.X は、材料番号 1035006 の Hilti Grease に対して有効です（パッケージの刻印を参照） 2. バージョン 3.0 は、材料番号1038640 の Hilti Grease に対して有効です（パッケージの刻印を参照）
sr	Datoteka bezbednosnog lista se izdaje za sledeće proizvodne serije: 1. Verzija 1.X / 2.X važi za Hilti Grease sa brojem materijala 1035006 (pogledajte otisak na pakovanju) 2. Verzija 3.0 važi za Hilti Grease sa brojem materijala 1038640 (pogledajte otisak na pakovanju)
ms	Fail helaian data keselamatan ini dikeluarkan untuk lot pengeluaran yang berikut: 1. Versi 1.X / 2.X sah untuk Hilti Grease dengan nombor bahan 1035006 (lihat cetakan pada pembungkusan) 2. Versi 3.0 sah untuk Hilti Grease dengan nombor bahan 1038640 (lihat cetakan pada pembungkusan)
ko	본 안전보건자료는 다음 제품 로트에 대해 발급되었습니다. 1. 버전 1.X / 2.X 는재료 번호1035006 의 Hilti Grease에 유효합니다 (포장의 각인 참조) 2. 버전 3.0 는재료 번호1038640 의 Hilti Grease에 대해 유효합니다 (포장의 각인 참조)
id	File lembar data keselamatan ini diterbitkan untuk lot produksi berikut: 1. Versi 1.X / 2.X berlaku untuk Hilti Grease dengan nomor material 1035006 (lihat cetakan pada kemasan) 2. Versi 3.0 berlaku untuk Hilti Grease dengan nomor material 1038640 (lihat cetakan pada kemasan)
he	קובץ גיליון נתוני בטיחות זה מונפק עבור מגרשי הייצור הבאים: 1. גרסה 1.X תקפה ל-Hilti Grease עם מספר חומר 1035006 (ראה טביעה על האריזה) 2. גרסה 2.0 תקפה ל-Hilti Grease עם מספר חומר 1038640 (ראה טביעה על האריזה)
th	แผนข้อมูลด้านความปลอดภัยนี้จัดทำสำหรับล็อตการผลิตดังต่อไปนี้: 1. เวอร์ชัน 1.X / 2.X ใช้ได้กับ Hilti Grease ที่มีหมายเลขวัสดุ 1035006 (ดูข้อมูลบนบรรจุภัณฑ์) 2. เวอร์ชัน 3.0 ใช้ได้กับ Hilti Grease ที่มีหมายเลขวัสดุ 1038640 (ดูข้อมูลบนบรรจุภัณฑ์)
vi	Tệp bảng dữ liệu an toàn này được phát hành cho các lô sản xuất sau: 1. Phiên bản 1.X / 2.X hợp lệ cho Hilti Grease với số vật liệu 1035006 (xem dấu in trên bao bì) 2. Phiên bản 3.0 hợp lệ cho Hilti Grease với số vật liệu 1038640 (xem dấu in trên bao bì)
zh tw	本安全資料表文件針對下列生產批次發行： 1. 版本 1.X / 2.X 適用於喜利得 Hilti Grease，材料編號 1035006（請參閱包裝上的印記） 2. 版本 3.0 適用於喜利得 Hilti Grease，材料編號 1038640（請參閱包裝上的印記）
kk	Бұл қауіпсіздік паспорты мына өндірістік партиялар үшін шығарылады: 1. 1.X / 2.X нұсқасы 1035006 материал нөмірі бар Hilti Grease шін жарамды (қаптамадағы ізді қараңыз) 2. 3.0 нұсқасы 1038640 материал нөмірі бар Hilti Grease шін жарамды (қаптамадағы ізді қараңыз)

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3 (2022)
Issue date: 10.12.2024

Revision date: 10.12.2024

Supersedes: 09.07.2019

Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Name Hilti Grease 50 ml (Tunap)
Product code BU ET&A

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Special lubricant for insert tool connection end
Restrictions on use For professional use only

1.4. Supplier's details

Supplier

Hilti Far East Private Ltd.
80 Pasir Panjang Road, #16-83/84 Mapletree Business City Singapore
Singapur 117372
T +65 6777 7887 - F +65 6777 3057
sg-customerservice@hilti.com

Department issuing data specification sheet

Hilti AG
Feldkircherstraße 100 Schaan Liechtenstein 9494
T +423 234 2111
product.compliance-power.tools@hilti.com

1.5. Emergency phone number

Emergency number GBK GmbH Global Regulatory Compliance
+49 (0)6132-84463

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as hazardous according to GHS

2.2. GHS label elements including precautionary statements

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Synonyms	Concentration (%)	Formula	Product identifier
Baseoil - unspecified, Distillates (petroleum), solvent-refined heavy paraffinic	-	5 – 10	CxHy	CAS-No.: 64741-88-4 EC-No.: 265-090-8
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	-	1 – 2.5	-	CAS-No.: 4259-15-8 EC-No.: 224-235-5

SECTION 4: First-aid measures

4.1. Description of necessary first aid measures

First-aid measures general Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3 (2022)

Inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
Skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
Ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects No information available.

4.3. Indication of immediate medical attention and special treatment needed

Other medical advice or treatment Treat symptomatically. Symptoms may be delayed.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

No additional information available

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective actions for fire fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Evacuate area.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
-------------------------------	--

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3 (2022)

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Store tightly closed in a dry and cool place. Does not require any specific or particular technical measures.

Storage conditions Store in original container.

Incompatible materials Strong oxidizing agents. Pyrophoric or self-heating substances.

Storage temperature 5 – 25 °C

7.3. Specific end use(s)

Special lubricant for insert tool connection end.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters/Occupational exposure limits

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering control measures

No additional information available

8.4. Personal protection

Skin and body protection Not required

Consumer exposure controls Avoid contact during pregnancy/while nursing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Appearance Pasty.

Colour Black

Odour No data available

Odour threshold No data available

pH No data available

Relative evaporation rate (butylacetate=1) No data available

Melting point No data available

Freezing point No data available

Boiling point No data available

Flash point > 210 °C

Auto-ignition temperature > 300 °C

Decomposition temperature No data available

Flammability No data available

Vapour pressure < 0.1 mbar

Relative vapour density at 20°C No data available

Relative density No data available

Density ≈ 1.06 g/cm³

Solubility insoluble in water.

Partition coefficient n-octanol/water (Log Pow) No data available

Partition coefficient n-octanol/water (Log Kow) No data available

Viscosity, dynamic No data available

Explosive properties No data available

Oxidising properties No data available

Explosive limits No data available

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3 (2022)

9.2. Other information

VOC content ≈ 0 mg/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Oxidizing agent. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Acute toxicity

Acute toxicity (oral) Not classified

Acute toxicity (dermal) Not classified

Acute toxicity (inhalation) Not classified

Baseoil - unspecified, Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)	
LD50 oral	5000 mg/kg
LD50 dermal	5000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	2.18 mg/l/4h
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	
LD50 oral rat	3100 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Hilti Grease	
Density	≈ 1.06 g/cm ³

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3 (2022)

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) Not classified

Hazardous to the aquatic environment, long-term (chronic) Not classified

Baseoil - unspecified, Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	

12.2. Persistence and degradability

Hilti Grease	
Persistence and degradability	No additional information available

12.3. Bioaccumulative potential

Hilti Grease	
Bioaccumulative potential	No additional information available

12.4. Mobility in soil

Hilti Grease	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone Not classified
Other adverse effects No additional information available

SECTION 13: Disposal considerations

Waste treatment methods Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3 (2022)

ADR	IMDG	IATA	RID
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Regulation	Component / Mixture
Arms and Explosives Act	Not applicable
Chemical Weapons Prohibition Act	
Environmental Protection and Management (Air Impurities) Regulations	
Environmental Protection and Management Act (Hazardous Substances)	
Environmental Public Health (Quality of Piped Drinking Water) Regulations	
Fire Safety Act/Fire Safety (Petroleum and Flammable Materials) Regulations	
Maritime and Port Authority of Singapore (Dangerous, Petroleum and Explosives) Regulations	
Misuse of Drugs Act	
Poisons Act	
Poisons Rules	
Hazardous waste (Control of export, import and transit) Act	
Strategic goods (Control) Act	

15.2. International regulations

No additional information available

15.3 Chemical inventory status

No additional information available

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3 (2022)

SECTION 16: Other information

Issue date 10/12/2024
Revision date 10/12/2024

Indication of changes			
Section	Changed item	Change	Comments
	Regulations Singapore	Modified	
1	Department issuing data specification sheet	Modified	
1	Emergency number	Modified	
3	Composition/information on ingredients	Modified	

SDS_SG_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3: 2014
Issue date: 28.01.2025

Revision date: 28.01.2025

Supersedes: 10.12.2024

Version: 3.0

SECTION 1: Identification

1.1. Product identifier

Name Hilti Grease 50 ml (Castrol)
Product code BU ET&A

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Special lubricant for insert tool connection end
Restrictions on use For professional use only

1.4. Supplier's details

Supplier

Hilti Far East Private Ltd.
80 Pasir Panjang Road, #16-83/84 Mapletree Business City Singapore
Singapur 117372
T +65 6777 7887 - F +65 6777 3057
sg-customerservice@hilti.com

Department issuing data specification sheet

Hilti AG
Feldkircherstraße 100 Schaan Liechtenstein 9494
T +423 234 2111
product.compliance-power.tools@hilti.com

1.5. Emergency phone number

Emergency number GBK GmbH Global Regulatory Compliance
+49 (0)6132-84463

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Not classified as hazardous according to GHS

2.2. GHS label elements, including precautionary statements

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Synonyms	Concentration (%)	Formula	Product identifier
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	-	0.1 – 2.5	-	CAS-No.: 26264-06-2 EC-No.: 932-231-6

SECTION 4: First-aid measures

4.1. Description of necessary first aid measures

First-aid measures general Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3: 2014

Skin contact	Wash contaminated clothing before reuse. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
Ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	Repeated dermal contact with material can lead to defatting of the skin. May cause skin dryness or cracking. High pressure injection of product under the skin can have very serious consequences even without apparent symptoms or injuries.
Symptoms/effects after eye contact	None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	None under normal conditions. Ingestion may cause nausea, vomiting and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	Treat symptomatically. Symptoms may be delayed.
-----------------------------------	---

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Explosion hazard	No direct explosion hazard.
Hazardous decomposition products in case of fire	Carbon oxides (CO, CO ₂). Metallic oxides. Phosphorus oxides. Sulphur oxides.

5.3. Special protective actions for fire fighters

Firefighting instructions	Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
6.1.1. For non-emergency personnel	
Emergency procedures	Evacuate area.
6.1.2. For emergency responders	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	Keep in suitable, closed containers for disposal.
Methods for cleaning up	Mechanically recover the product. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).
Other information	Dispose of materials or solid residues at an authorized site.

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3: 2014

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	Keep in a cool, well-ventilated place away from heat. Comply with applicable regulations.
Storage conditions	Store in original container. Keep container tightly closed. Store in a dry place. Keep away from ignition sources.
Incompatible materials	Oxidizing materials.
Storage temperature	5 – 25 °C
Packaging materials	Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters/Occupational exposure limits

No additional information available

8.2. Appropriate engineering control measures

Appropriate engineering controls	Ensure good ventilation of the work station.
----------------------------------	--

8.3. Personal protection – individual protection measures, such as personal protective equipment (PPE)

Hand protection	Protective gloves
Eye protection	Safety glasses
Skin and body protection	Not required
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment
Environmental exposure controls	Avoid release to the environment.
Consumer exposure controls	Avoid contact during pregnancy/while nursing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Pasty.
Colour	dark grey
Odour	No data available
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Evaporation rate	No data available
Melting point	No data available
Freezing point	Not applicable
Boiling point	No data available
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	No data available
Flammability	No data available
Vapour pressure	No data available
Relative vapour density at 20°C	No data available
Relative density	No data available
Density	1 g/cm ³ (25°C)
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	No data available
Partition coefficient n-octanol/water (Log Kow)	No data available

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3: 2014

Viscosity, kinematic	> 20.5 mm ² /s (40°C)
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	Not applicable
Particle size	No data available
Particle size distribution	No data available
Particle shape	No data available
Particle aspect ratio	No data available
Particle specific surface area	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Acute toxicity

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts (26264-06-2)

LD50 oral rat	4445 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other., 95% CL: 3913 - 5051
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified (On basis of test data).
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3: 2014

Hilti Grease	
Viscosity, kinematic	> 20.5 mm ² /s (40°C)
Density	1 g/cm ³ (25°C)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts (26264-06-2)	
LC50 - Fish [1]	1.67 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	2.9 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	29 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.23 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '72 d'

12.2. Persistence and degradability

Hilti Grease	
Persistence and degradability	No additional information available

12.3. Bioaccumulative potential

Hilti Grease	
Bioaccumulative potential	No additional information available

12.4. Mobility in soil

Hilti Grease	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	Do not re-use empty containers.

SECTION 14: Transport information

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3: 2014

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Regulation	Component / Mixture
Arms and Explosives Act	Not applicable
Chemical Weapons Prohibition Act	
Environmental Protection and Management (Air Impurities) Regulations	
Environmental Protection and Management Act (Hazardous Substances)	
Environmental Public Health (Quality of Piped Drinking Water) Regulations	
Fire Safety Act/Fire Safety (Petroleum and Flammable Materials) Regulations	
Maritime and Port Authority of Singapore (Dangerous, Petroleum and Explosives) Regulations	

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3: 2014

Regulation		Component / Mixture
Misuse of Drugs Act		
Poisons Act		
Poisons Rules		
Hazardous waste (Control of export, import and transit) Act		
Strategic goods (Control) Act	Dual Use Goods	Hilti Grease 50 ml (Castrol)

15.2. International regulations

No additional information available

15.3 Chemical inventory status

No additional information available

SECTION 16: Other information

Issue date	28/01/2025
Revision date	28/01/2025
Abbreviations and acronyms	ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration factor BLV - Biological limit value BOD - Biochemical oxygen demand (BOD) COD - Chemical oxygen demand (COD) DMEL - Derived Minimal Effect level DNEL - Derived-No Effect Level EC-No. - European Community number EC50 - Median effective concentration EN - European Standard IARC - International Agency for Research on Cancer IATA - International Air Transport Association IMDG - International Maritime Dangerous Goods LC50 - Median lethal concentration LD50 - Median lethal dose LOAEL - Lowest Observed Adverse Effect Level NOAEC - No-Observed Adverse Effect Concentration NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration OECD - Organisation for Economic Co-operation and Development OEL - Occupational Exposure Limit PBT - Persistent Bioaccumulative Toxic PNEC - Predicted No-Effect Concentration RID - Regulations concerning the International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet STP - Sewage treatment plant ThOD - Theoretical oxygen demand (ThOD) TLM - Median Tolerance Limit VOC - Volatile Organic Compounds CAS-No. - Chemical Abstract Service number N.O.S. - Not Otherwise Specified vPvB - Very Persistent and Very Bioaccumulative ED - Endocrine disrupting properties

Hilti Grease

Safety Data Sheet

According to SS 586 Part 3: 2014

Indication of changes			
Section	Changed item	Change	Comments
3	Composition/information on ingredients	Modified	

SDS_SG_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.